

# Xerox<sup>®</sup> Phaser<sup>®</sup> 7500 Color Printer The color expert. Office ready.



# Xerox<sup>®</sup> Phaser<sup>®</sup> 7500 Color Printer

**Give your entire office professional-level color.** Now there's a network-ready printer that's robust enough to handle short-run professional-quality print jobs, yet easy enough to fit right into your busy office. Inspired color control features and printer management tools simplify printing and give you the power to do more than ever before.

## **On-demand Productivity**

Save big when you bring your workgroup's diverse and high-volume color printing in house. The Phaser 7500 sports plenty of features that make it a perfect fit for the office on-demand print environment.

- Fast 35 ppm color printing. That means 100 copies of your 20-page color report will print during your lunch hour. The high-speed 1 GHz processor ensures that both long print runs and complex jobs with graphics, photos or charts process rapidly.
- Networked to share. Gigabit Ethernet is standard, and everyone, regardless of environment – Microsoft Windows®, Apple Macintosh<sup>®</sup> and Linux<sup>®</sup> – can tap into the power of the Phaser 7500.
- Increase accountability and reduce costs. Use accounting features to track and analyze both color and black-only printing, and to accurately charge back billing for individuals or departments.
- **Convenient and resourceful.** Sized to fit your workgroup's space and printing needs, it's available as a low-profile desktop printer, or it can be configured into a highly productive floor-standing model with three additional 500-sheet trays that can load paper sizes up to 13 x 18 in.
- Bring more types of jobs in house. Produce professional-looking brochures, newsletters and reports with features such as automatic two-sided printing, booklet printing and collation. Print on an array of media, including labels and card stock, and sizes up to 47 in. banners.

## Quality color you can count on.

Produce brilliant, accurate color right "out of the box." The Phaser 7500 printer delivers the tools to make you look like a color expert.

- **1200 x 1200 dpi resolution** for sharp, detailed prints.
- So precise, the color you're matching does exactly what you expect – it matches. The secret? It uses the tools of the pros: True Adobe® PostScript® 3<sup>™</sup> ensures that visually rich documents print reliably and fast, while Pantone®-approved color tables make sure that specified colors print accurately and consistently.
- Xerox® EA Toner produces the smallest toner particles in the market – for finer lines, higher contrast and sharper quality. EA toner also requires less energy to manufacture and reduces the amount of toner needed for printing each page.
- A powerful color technology works behind the scenes to automatically give you the best color for each element on the page. Use it to select automatic presets to match a specific target, like a press or your computer screen. Or get creative and use it to fine-tune color and get special effects without changing your file.
- Expert-level tools are built in, including the Black Trapping feature, which keeps text sharp and readable whether printed in black on colored backgrounds or in color on black backgrounds.

# Color By Words: Unique Color Control

Have you ever wanted to change the color of one object or area in a printout without affecting the rest of the page? With this feature there is no need to go back to square one and manipulate source files. You simply select the desired color modifications from a drop-down list, and Color By Words will adjust your printout.



Original photo not right? Use the Color By Words drop-down lists and choose "yellow-green colors a lot more green," and "red colors a lot more saturated." Picture-perfect results.

## Phaser® 7500 Quick Facts

- Built-in networking
- 35 ppm color/black-and-white
- 1200 x 1200 dpi resolution
  Print oversize media –
- Tabloid Extra
- 2,100 sheet maximum paper capacity







# Simple to Use, Easy to Manage

Running complex jobs doesn't have to be complicated. The Phaser 7500 offers superior printer management capabilities and innovative features that make it especially easy to use.

- Effortless printer management with CentreWare Internet Services embedded web server. Save time with configuration cloning and automatic installation. View job status and troubleshoot right from your web browser.
- The easy-open access is right up front; no need to rotate or move the printer to perform routine maintenance like changing toner and adding paper.
- **Bi-directional communication** provides updates on your print jobs, along with toner supply levels, from the front panel, your desktop or even over the web. Pop-up alerts immediately notify you of any print problems – and how to fix them.
- Store frequently printed files on the builtin hard drive (standard on 7500DX) for fast, easy, walk-up reprinting. The Print With feature lets you include a stored file with your new print job.
- Peace of mind. Available on-site service agreements and the Xerox<sup>®</sup> Total Satisfaction Guarantee ensure that your printer will be on-line, all the time.



# 1

100-sheet Tray 1 (multipurpose tray) feeds a wide range of custom-size media all the way up to  $12.6 \times 47$  in. banner sheets.

2 500-sheet main tray supports paper sizes up to 11.7 x 17 in.

1,500-sheet Feeder includes three trays that support paper sizes up to  $13 \times 18$  in. and boosts total paper capacity to 2,100 sheets.

4 Automatic two-sided printing for convenient, paper saving output.

## 6

8

Optional wheeled stand provides storage for a complete set of toner cartridges (shown below).

### **Advanced Security**

- Worry-free deployment. Powerful tools let you control who prints in color, and when.
- Private data stays secure. Secure Print holds the job in the queue until a PIN is entered at the printer, and Hard Drive Overwrite "shred" data after every job or on request.
- A good network citizen. Built-in support for the latest security protocols including IPv6, 802.1X and IPsec.

|  |   |   |   | 5  |
|--|---|---|---|--|
| Phaser® 7500 Prin  | ter Configurations  |   |   | Options  |
| <ul><li>Phaser 7500N</li><li>2-Tray, 600-sheet capacity</li><li>Gigabit Ethernet</li></ul> | <ul> <li>Phaser 7500DN</li> <li>2-Tray, 600-sheet<br/>capacity</li> <li>Gigabit Ethernet</li> <li>Automatic<br/>two-sided printing</li> </ul> | <ul> <li>Phaser 7500DT</li> <li>3-Tray, 1,100-sheet<br/>capacity</li> <li>Gigabit Ethernet</li> <li>Automatic<br/>two-sided printing</li> </ul> | <ul> <li>Phaser 7500DX</li> <li>5-Tray, 2,100-sheet<br/>capacity</li> <li>Gigabit Ethernet</li> <li>Automatic<br/>two-sided printing</li> <li>Productivity Kit</li> </ul> | <ul> <li>Productivity Kit<br/>(includes 80 GB Hard Drive)</li> <li>500 and 1,500-sheet feeders</li> <li>Stand</li> <li>Wireless Network Adapter</li> <li>Memory upgrade</li> </ul> |

# Xerox<sup>®</sup> Phaser<sup>®</sup> 7500





|  | Phaser 7500N   | Phaser 7500DN | Phaser 7500DT  | Phaser 7500DX   |  |  |
|--|--|---------------|--|---|--|--|
| Speed                                  | Up to 35 ppm color / 35 ppm black-and-white  |               |  |   |  |  |
| Duty Cycle                             | Up to 150,000 pages / month  |               |  |   |  |  |
| Paper Handling<br>Paper Input Standard | Tray 1 (MPT): 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 47.2 in. / 89 x 99 mm to 320 x 1200 mm   |               |  |   |  |  |
|  | Tray 2: 500 sheets; Custom Sizes: 5.5 x 7.2 in. to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm  |               |  |   |  |  |
| Additional Trays                       | Optional   |               | <b>Tray 3:</b> 500 sheets; Custom Sizes: 5.5 x 7.2 in. to 13 x 18 in. / 140 x 182 mm to 330 x 457 mm | <b>Tray 3, 4, 5:</b> 500 sheets each; Custom<br>Sizes: 5.5 x 7.2 in. to 13 x 18 in. / 140 x<br>182 mm to 330 x 457 mm                                 |  |  |
| Paper Output                           | 400 sheets   |               |  |   |  |  |
| Two-sided Printing                     | Optional   | Standard      |  |   |  |  |
| <b>Print</b><br>First-page-out Time    | As fast as 7 seconds color / 7 seconds black-and-white   |               |  |   |  |  |
| Print Resolution                       | Up to 1200 x 1200 dpi  |               |  |   |  |  |
| Processor                              | 1 GHz Freescale PowerGUICC™ III  |               |  |   |  |  |
| Memory (std / max)                     | 512 MB DDR2 / 2 GB   |               |  |   |  |  |
| Connectivity                           | USB 2.0 Hi-Speed, Gigabit Ethernet   |               |  |   |  |  |
| Page Description Languages             | Adobe® PostScript® 3™, PCL® 5c   |               |  |   |  |  |
| Print Features                         | Booklet printing, Scaling, Watermarks, Custom size paper, Run black, Cover pages, RAM collation, Remote printing, Separation pages, N-Up printing, Banners, Black trapping |               |  |   |  |  |
| Productivity Kit                       | Optional   |               |  | Hard drive: Personal / Personal saved<br>/ Secure / Proof / Saved Print, Disk<br>collation, Print-With, PDF-direct<br>printing, Extended font storage |  |  |
| Security                               | 802.1X, IPsec, SMNP v3, Secure Print and Hard Drive Overwrite (requires Productivity Kit)  |               |  |   |  |  |

#### **Device Management**

Xerox<sup>®</sup> CentreWare<sup>®</sup> Internet Services, CentreWare Web, Email alerts, Usage Analysis Tool, Configuration card, Job completion notification

#### **Print Drivers**

Windows® Server 2003/Server 2008/XP/Vista/7, Mac OS® X 10.3 and above, Sun Solaris® 8/9/10, SUSE® 10.0 and 11.x, Red Hat® 4, Fedora Core® 1-5, IBM® AIX® 5I v5.3, HP-UX 11.0/11iv2, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

## Font Capability

139 True Adobe® PostScript® fonts and 81 PCL® fonts

#### Media Handling

Tray 1 (MPT): 18 lb. bond to 100 lb. cover / 67–280 gsm; Tray 1 (MPT) Duplex: 18 lb. bond to 80 lb. cover / 67–220 gsm; Trays 2-5: 18 lb. bond to 90 lb. cover / 67–256 gsm; Trays 2-5 Duplex: 18 lb. bond to 80 lb. cover / 67–220 gsm; Media types: Plain paper, envelopes, transparencies, labels, card/cover, glossy

#### Color Controls

 $\mathsf{PANTONE}^{\otimes}$  Color approved solid-color simulations,  $\mathsf{Xerox}^{\otimes}$  Color Corrections, Color by Words

#### **Operating Environment**

Operating: 50° to 90° F / 10° to 32° C; Storage: -4° to 118.4° F / -20° to 48° C; Relative humidity: Operating: 10% to 80%; Storage: 10% to 85%; Sound pressure levels: Printing: 51 dB(A), Standby: 26 dB(A); Sound power levels: Printing: 6.8 B, Standby: 4.2 B; Warm up (from power save): As fast as 46 seconds

#### Electrical

Power: 110–127 VAC, 50/60 Hz or 220–240 VAC, 50/60 Hz; Power consumption: Standby: 95 W, Printing: 670 W, Power save: 11 W ENERGY STAR® qualified

#### Dimensions (WxDxH)

 $\label{eq:states} \begin{array}{l} \textbf{7500N/DN:} 25.2 \times 26.2 \times 15.7 \text{ in.} / 640 \times 665 \times 399 \text{ mm; Weight:} \\ 145 \text{ lbs.} / 66 \text{ kg; } \textbf{7500DT:} 25.2 \times 26.2 \times 20.9 \text{ in.} / 640 \times 665 \times 532 \\ \text{mm; Weight:} 174 \text{ lbs.} / 79 \text{ kg; } \textbf{7500DX:} 25.2 \times 26.2 \times 30.3 \text{ in.} / 640 \\ \times 665 \times 770 \text{ mm; Weight:} 218 \text{ lbs.} / 99 \text{ kg} \end{array}$ 

#### Certifications

FCC Part 15, Class A, Listed UL 60950-1/CSA 60950-1-03, CE Mark applicable to Directives 2004/108/EC and 2006/95/EC and Section 508 ADA

## What Comes in the Box

- Phaser 7500
- Toner Cartridge (9,600 print capacity<sup>1</sup> for CMY and 19,800 print capacity<sup>1</sup> for Black)
- Software and Documentation CD (with User Manual, Quick
- Installation Guide and Warranty Statement)
- Power cord

#### Supplies

| Jupplies                                     |           |
|--|-----------|
| Standard-Capacity Print Cartridge1:          |           |
| Cyan: 9,600 pages                            | 106R01433 |
| Magenta: 9,600 pages                         | 106R01434 |
| Yellow: 9,600 pages                          | 106R01435 |
| High-Capacity Print Cartridge <sup>1</sup> : |           |
| Black: 19,800 pages                          | 106R01439 |
| Cyan: 17,800 pages                           | 106R01436 |
| Magenta: 17,800 pages                        | 106R01437 |
| Yellow: 17,800 pages                         | 106R01438 |
| Routine Maintenance Items                    |           |
| Imaging Unit: 80,000 pages <sup>2</sup>      | 108R00861 |
| Waste Cartridge: 20,000 pages <sup>2</sup>   | 108R00865 |
| 110-Volt Fuser and Belt Cleaner Kit          |           |
| (up to 100,000 pages) <sup>2</sup>           | 115R00061 |
| 220-Volt Fuser and Belt Cleaner Kit          |           |
| (up to 100,000 pages) <sup>2</sup>           | 115R00062 |
| Options                                      |           |
| 512 MB Memory                                | AUL       |
| 1 GB Memory                                  | TAF       |
| Duplex Unit                                  | TAG       |
| 500-sheet Feeder                             | TAD       |
| 1,500-sheet Feeder                           | TAE       |
| Stand with storage                           | KBN       |
| Productivity Kit                             | TAH       |
| Wireless Network Adapter                     | BXC       |
|  |           |

<sup>1</sup> Average standard pages. Declared Yield in accordance with ISO/IEC 19798.
 Yield will vary based on image, area coverage and media used.
 <sup>2</sup> Average standard pages. Yield will vary depending on job run length,

media size and orientation.



## For more information, call 1-800-ASK-XEROX or visit us at www.xerox.com/office.

©2013 Xerox Corporation. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. Xerox®, Xerox and Design®, CentreWare®, and Phase® are trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR of the ENERGY STAR mark are registered U.S. marks. The information in this brochure is subject to change without notice. Updated 3/13 610P729895E 75XBR-02UF

